



Surface Technologies

Technical Process Bulletin

Scale Gon Building Liquid

Acid cleaner to remove white traces on cement constructions

Description

TURCO SCALE GON BUILDING LIQUID is especially developed to remove white traces on cement constructions by means of a brush.

This product is not recommended on marble and travertine.

Properties

TURCO SCALE GON BUILDING LIQUID is a ready to use product, based on sulfamic acid.

Because it is free from hydro chloric acid and hydro phosphoric acid it has an optimal activity in combination with a high safety for the treated walls.

Characteristics

Appearance:	transparent liquid
Density:	1,0 kg/L
pH:	2,5 (3% concentration)
Storage:	5 – 30 °C
Shelf life:	2 years in closed packaging

Application

TURCO SCALE GON BUILDING LIQUID has to be applied by means of a brush on hardened masonry, avoiding contact with aluminium construction elements.

Apply **TURCO SCALE GON BUILDING LIQUID** on porous masonry after slightly wetting the surface. Leave the product reacting with the wall for 5 – 20 minutes. Clean the parts using high-pressure cold water rinsing from the bottom to the top and using a brush to make sure all active chemistry is removed.

Ideal working conditions are obtained between 5 – 25 °C.

Safety

Please read the detailed safety data sheet of the product.

N.V. Henkel Belgium S.A.

Havenlaan 16 Avenue du Port

B-1080 BRUSSEL - BRUXELLES

Tel : (+32) 2 421 25 55

Fax: (+32) 2 421 25 99

HRB 517 356 RCB

This information is based on our current level of knowledge. It is given in good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.; This information is based on our current level of knowledge. It is given in good faith but it is not intended to guarantee any particular properties. The users must satisfy themselves that there are no circumstances requiring additional information or precautions or the verification of details given herein.

Revision date: 06/12/2004

Print date: 07/06/2005